

ATTACHMENT D



NORTHWEST PUMP & EQUIPMENT CO.

2800 NW 31st Avenue, Portland, OR 97210, Phone: 503-227-7867

TELEPHONE: 907-594-6312	EMAIL: mayor@cityofednabay.org	DATE OF QUOTATION: 12/05/16	QUOTE NUMBER DB-COEB-2
CUSTOMER / CONTACT: Heather Richter Mayor - City of Edna Bay, AK	SHIP TO: City of Edna Bay Tract A Kosciusko Dr Edna Bay, AK 99950	PROJECT / LOCATION: City of Edna Bay 15175 ABOVEGROUND FUEL STORAGE TANKS AND INTEGRAL DISPENSER ENCLOSURES 15191 FUEL PIPING SYSTEM 15192 PUMPS AND EQUIPMENT 15192 FUEL TANK APPURTENANCES Drawings dated August 2016	
5-Dec Revision 1 - Added Weld Insp, Paint Insp, and Internal Coating to all tanks			

TERMS AND CONDITIONS OF SALE

<p>N.W. Pump is not responsible for delays in delivery due to strikes, accidents, priority restrictions or other conditions beyond our control or its failure or delay to order or deliver due to the purchaser's failure to pay N.W.Pump any monies owed on an open job account or job basis. The prices herein do not apply in the event of an underground obstruction, including but not limited to utilities and impenetrable soil, is discovered after this proposal is made. In such event, Buyer is liable for all increased costs. Buyer may cancel by giving written notice, however, Buyer is liable for all costs incurred by N.W. Pump to the date notice is received. Cancellations or returns are subject to a minimum fifteen (15%) percent restocking charge. Payment terms are net cash on delivery, unless N.W. Pump has approved credit terms or otherwise specified within. If litigation is necessary to enforce this agreement, the prevailing party will be entitled to reasonable attorney's fees, court costs, and interest. Products carry only the manufacturer's warranty, if any. NWP makes no representations as to product compliance with government regulations. There are no expressed or implied warranties as to goods or services provided by NWP, including the implied warranty of merchantability or fitness for a particular purpose. Statements by a NWP representative that differ from the foregoing shall have no effect. NWP will not be liable for direct, indirect, special or consequential damages, business interruption or loss of profits damages, sustained by Customer or any party claiming by, through or under Customer.</p>	<p>This offer to furnish equipment on the following terms and conditions expires 15 days from the above date.</p> <p>N.W. Pump, Inc. reserves the right to adjust equipment prices to conform to prices in effect at the time of delivery</p> <p><u>Equipment prices are subject to all applicable taxes.</u> <u>Return of non-stock and special order items are subject to restock charges or may not be returnable.</u></p>
---	---

Acceptance of Proposal:

<p>The above price, specifications and conditions are satisfactory and are hereby accepted. You are authorized to supply equipment and/or labor as specified. Payment will be made as outlined above. I understand acceptance of the quotation does not constitute an order until credit has been approved. I understand that Northwest Pump may file a Right to Lien against the equipment/labor.</p>	<p>All equipment is quoted FOB - Seattle dock. Freight forwarding to Alaska is by others.</p>
--	--

1. Price excludes tank offloading, electrical, piping and installation.
2. All Prices are FOB Northwest Pump warehouse except where noted differently.
3. Terms: \$150,000.00 down. Payment to be done by wire transfer
4. Terms: Balance of the order will be invoiced approximately three weeks after initial payment and paid via wire transfer.
5. Prices are good for 15 days from date of quotation. Exception are steel tanks which are 7 days.

BY SIGNING AND ACCEPTING THIS QUOTATION, CUSTOMER ACKNOWLEDGES THAT HE/SHE HAS READ, UNDERSTANDS AND AGREES WITH ALL OF THE TERMS AND CONDITIONS LISTED WITHIN

QUOTED BY:	
SIGNATURE <i>David Boothe</i>	DATE 12/05/16
PRINT NAME David Boothe	DATE

ACCEPTED BY:	TITLE:
SIGNATURE Heather Richter	DATE
PRINT NAME Mayor - City of Edna Bay, AK	

Desired Delivery Date _____

Northwest Pump and Equipment Co. is an Employee Owned company that has been a Petroleum Equipment Distributor since 1959. We are the West's largest distributor of tanks, piping, pumps, meters, tank monitoring systems, leak monitoring systems and lubrication equipment. We are pleased to offer this quotation for the referenced project. Please contact me if you need additional information.

COMPANY:		Mayor - City of Edna Bay, AK	DATE OF QUOTATION	QUOTE NUMBER
PROJECT:		City of Edna Bay	12/05/16	DB-COEB-2
QTY	Part Number	DESCRIPTION		
15175 ABOVEGROUND FUEL STORAGE TANKS AND INTEGRAL DISPENSER ENCLOSURES				
		Manufacturer Notes: * Tank material is A-36 plate.		
		12K Unleaded tank		
1	R12K-UL2085-C	REGAL 12,000 Gallon DW Steel AST, includes the following: * Fittings only as per drawing * 24" man way * Side mount ladder painted same as tank * Unistrut * Pipe supports * Skid c/w 3 saddles * Paint SP 10 blast 1 coat 302h zinc one coat bar rust 236 epoxy one coat 389 urethane * Antiskid on top of tank		
1		REGAL 3rd Party Paint Inspection		
1		REGAL 3rd Party Weld Inspection		
1		REGAL Internal coating, Carboline Phenoline 385		
		12K Diesel tank		
1	R12K-UL2085-C	REGAL 12,000 Gallon DW Steel AST, includes the following: * Fittings only as per drawing * 24" man way * Side mount ladder painted same as tank * Unistrut * Pipe supports * Skid c/w 3 saddles * Paint SP 10 blast 1 coat 302h zinc one coat bar rust 236 epoxy one coat 389 urethane * Antiskid on top of tank		
1		REGAL 3rd Party Paint Inspection		
1		REGAL 3rd Party Weld Inspection		
1		REGAL Internal coating, Carboline Phenoline 385		
		12K Diesel Split Compartment tank		
1	R12K-UL2085-C-SPLIT	REGAL 12,000 Gallon DW Steel AST, split compartment, includes the following: * Fittings only as per drawing * 2x 24" man way * 2x Side mount ladder painted same as tank * Unistrut * Pipe supports * Skid c/w 3 saddles * Paint SP 10 blast 1 coat 302h zinc one coat bar rust 236 epoxy one coat 389 urethane * Antiskid on top of tank * Light pole mount only		
1		REGAL 3rd Party Paint Inspection		
1		REGAL 3rd Party Weld Inspection		
1		REGAL Internal coating, Carboline Phenoline 385		
4		Freight to Seattle Dock only - offloading by others		
2		REGAL Dispenser enclosure. 9' wide x 6' deep x 8' height (Includes floor plate) Double locking doors, galvanized metal sheeting,		

15191 FUEL PIPING SYSTEM

	2.02 PIPE		
	To be provided by others.		
	2.03 PIPE FITTINGS		

COMPANY:		Mayor - City of Edna Bay, AK	DATE OF QUOTATION	QUOTE NUMBER
PROJECT:		City of Edna Bay	12/05/16	DB-COEB-2
QTY	Part Number	DESCRIPTION		
		To be provided by others.		
		2.04 PIPE COATING SYSTEM		
		To be provided by others.		
		2.05 VALVES		
5	246DRF-0300AV	MORRISON 3"Swing Check Valve - Round Flange - Ductile Iron - Exp. at 50 PSI		
7	691FS-02001V	MORRISON 2"Flanged Regular Port Stainless Steel Ball Valve		
4	691FS-03001V	MORRISON 3"Flanged Regular Port Stainless Steel Ball Valve		
4	916JDEV01	KUNKLE 1"-150 x1"-150 Flanged Pressure Relief Valve, VITON SEAT FOR LIQUID SERVICE		
4	910-2200AV	MORRISON 2"Anti-Siphon Valve 10-15 Ft		
		2.06 EQUIPMENT NAMEPLATES AND OPERATIONAL TAGS		
		To be provided by others.		
		2.07 MISCELLANEOUS PIPING ACCESSORIES		
4	30A-1000130	PT COUPLING 3" Aluminum Male Camlock Adapter x Female NPT		
4	30V-1001130	PT COUPLING 3" Aluminum Dust Cap		
8	285FDI-1700AS	MORRISON 3" w/10 MeshFlanged Line Strainer - Bottom Cleanout - Ductile Iron		
4	SF21-200-40-47-12.0"	UNISOURCE 2" ID X 1' OAL 321SS flex hose,304SS single outer braid w/ 2" CS Male NPT X 2" CS 150# Plate Flange attached e/e		
1	SF21-200-47-47-24.0"	UNISOURCE 2" ID X 2' OAL 321SS flex hose, 304SS single outer braid w/ 2" CS 150# Plate Flange attached e/e		
3	SF21-200-40-47-18.0"	UNISOURCE 2" ID X 18.0" OAL 321SS flex hose, 304SS single outer braid w/ 2" CS Male NPT X 1 1/2" CS 150# Plate Flange attached.		
2	40013	CIM-TEK Centurion III Housing Kit (Double) less elements 1-1/2" NPT I/O		
8	90005	CIM-TEK Buna-N gaskets		
8	30036	CIM-TEK Filter element, 30 Micron Hydrosorb type II		
8	90006	CIM-TEK Buna-N grommets		
8	90002	CIM-TEK Filter cartridges		
		2.08 PIPE SUPPORTS AND FASTENERS		
		To be provided by others.		

15192 PUMPS AND EQUIPMENT

4	P75U1RJ2	RED JACKET 3/4 HP STP Variable Length Sub Pump ____" riser		
4	880-042-5	RED JACKET Control Box with 230 VAC Coil for 1/3 HP, 3/4 HP, 1 1/2 HP, 2HP Motors		
1	9853KX DF	GASBOY Atlas 9800K Series Electronic Fleet Dispenser, Single product - Single Hose, Side Load, UNLEADED, includes the following: * 1" Super-brite Backlit LCD Display – (Meets W&M Display Last Trans Rqmt.) * Electronic Totalizer (999999) * Top & Sides – Painted Black * Front & Back Panels – Painted White or Specify Color * Brand Panel * DC Conduit & J-Box (D Suffix) * Filter Adapter, Internal w/ Std Filter – Base Option F * 1" Discharge * 1" 2-Stage Solenoid (Dispensers)		
1	9853KXTW2 DF	GASBOY Atlas 9800K Series Electronic Fleet Dispenser, Dual product - Dual Hose, Side Load, DIESEL #1 / DIESEL #2, includes the following:		

COMPANY:		Mayor - City of Edna Bay, AK	DATE OF QUOTATION	QUOTE NUMBER
PROJECT:		City of Edna Bay	12/05/16	DB-COEB-2
QTY	Part Number	DESCRIPTION		
2		* 1" Super-brite Backlit LCD Display – (Meets W&M Display Last Trans Rqmt.) * Electronic Totalizer (999999) * Top & Sides – Painted Black * Front & Back Panels – Painted White or Specify Color * Brand Panel * DC Conduit & J-Box (D Suffix) * Filter Adapter, Internal w/ Std Filter – Base Option F * 1" Discharge * 1" 2-Stage Solenoid (Dispensers) GASBOY Shipping and Handling per Dispenser		
1	434-14001AK	MORRISON 34"x21"x16.13" AST pedestal & 1 stabilizer bar; W/22.25"L x 12" W opening size top		
1	434-14002AK	MORRISON 34"x21"x16.13" AST pedestal & 2 stabilizer bars; W/22.25"L x 12" W opening size top		
1	GY3/4X18	GOODYEAR 3/4" x 18' Ortac Arctic Hose, MNPT x MNPT		
2	GY1X18	GOODYEAR 1" x 18' Ortac Arctic Hose, MNPT x MNPT		
1	66H-0975	OPW 3/4"X 9" Steelflex Whip Hose w/ 3/4" Chrome Crimped Male Ends		
2	66H-1300	OPW 1 INCH X 12 INCH LONG WHIP HOSE		
1	66V-0300	OPW Breakaway, 3/4" 300 lbs Single Use		
2	66V-1300	OPW 1 INCH SINGLE USE BREAKAWAY		
1	636F-0000AVU	MORRISON 1.5" x 1.5" Emergency Shutoff Valve-Female Threaded Outlet (Unibody)		
2	636F-0200AVU	MORRISON 2" x 2" Emergency Shutoff Valve-Female Threaded Outlet (Unibody)		
1	45-5060	OPW 3/4" Premium Swivel		
2	45-5075	OPW 1" x 1" Premium Swivel		
1	11BP-0300	OPW Nozzle, 3/4" 11B UNLEADED Red SG 2PosRack		
2	7HB-0100	OPW High Flow Pressure Activated 1" Diesel Truck Nozzle Green		
2	7HB-0900	OPW NEW 1 INCH DIESEL NOZZLE, 7HB, YELLOW		
3	A10T	ANSUL 10LB ABC Fire Extinguisher rated 4-A:60B-C Used Outside		
3	924A	ANSUL 10 LB Surface Mount Extinguisher Cabinet		

15193 FUEL TANK APPURTENANCES

		Manholes included with tanks.		
4	922-0300AA	MORRISON 3" - 8 ozCombination Vent/Overflow Alarm		
7	244OF-0200AV	MORRISON 8" 16oz/sq.in. Emergency Vent - Flanged - w/O-Ring, UL & ULC Listed		
7	244F-01102G	MORRISON 8" Flange Gasket		
7	244F-0107A	MORRISON 8" or 6" Flange Nuts & Bolts Kit		
4	307-0100AC	MORRISON 2"Brass Fill Cap With Adaptor and Chain		
		Taking exception to the Custom Switches product. We are offering a superior product to include the control panels that are necessary to connect the probes to. These panels were not called out in the specifications but are a necessity.		
		Tanks 1 and 2		
2	LU3-HHLO	OMNTEC THREE CHANNEL AUDIO VISUAL CONTROLLER WITH ACKNOWLEDGEMENT SWITCH, SYSTEM DETECT LIGHT, AND TEST BUTTON TO ACCEPT A THREE POINT OPTIC SENSOR		
2	L-3-L-144"	OMNTEC THREE POINT OPTIC SENSOR UP TO 144" WITH 2" NPT		
2	RLY-RA-1	OMNTEC ONE 120V SPDT 5 AMP DRY CONTACT RELAY HOUSED IN A NEMA 4X ENCLOSURE (FOR PUMP SHUTDOWN ON LOW LEVEL)		
		Tanks 3A and 3B		
1	LU4-HH2LO	OMNTEC 4 CHANNEL AUDIO/VISUAL CONTROLLER NEMA 4X ENC WITH TEST SW, ACK, HORN &SYSTEM DETECT LT. TO ACCEPT A 4 POINT OPTIC SENSOR FOR HI HI / HI / LOW / LOW LOW		
2	L-4-L-144"	OMNTEC FOUR POINT OPTIC LEVEL SENSOR UP TO 144" OVERALL LENGTH WITH 2" NPT		
2	RLY-RA-1	OMNTEC ONE 120V SPDT 5 AMP DRY CONTACT RELAY HOUSED IN A NEMA 4X ENCLOSURE (FOR PUMP SHUTDOWN ON LOW LEVEL)		

COMPANY:		Mayor - City of Edna Bay, AK	DATE OF QUOTATION	QUOTE NUMBER
PROJECT:		City of Edna Bay	12/05/16	DB-COEB-2
QTY	Part Number	DESCRIPTION		
1		Inbound Freight		
4	818-0400AG	MORRISON Clock Gauge Use With 2" Drop Tube or PVC Pipe		
4	419-01001T	MORRISON 2" x 12' Drop Tube		
4	9095AA-3300AVEVR	MORRISON Remote Positive Shut Off Fill Limiter 6"FNPT x 3" FNPT		
4	419-02001t	MORRISON 3"x10' Aluminum Drop Tube		
		Other appurtenances needed that are shown on drawings but not listed in the specifications.		
4	78DI-0200AV	MORRISON 1/2" 40 PSI Expansion Relief Bypass Valve		
4	285FDI-2500AS	MORRISON 3" w/80 Mesh Flanged Line Strainer - Bottom Cleanout - Ductile Iron		
4	285DI-5400AS	MORRISON 2" w/100 Mesh NPT Line Strainer - Bottom Cleanout - Ductile Iron		
1	323-0100AA	MORRISON 4" x 3" Vapor Recovery Adaptor (4" Vapor, 3" Riser Thread)		
1	323C-0100ACEVR	MORRISON 4" Vapor Recovery Cap - CARB EVR Approved		
1	515-0300AC	MORRISON 15 Gallon Remote Spill Container 3" Port		
2	515-2300AC	MORRISON 15 Gallon Remote Spill Container 2ea 3" Ports		
4	346FDI-0200AV	MORRISON 2" External Emergency Valve - Ductile Iron-Flanged		
2	3-1210	UFC AST Decal Package for Low Sulfur Diesel. Includes: product ID, combustible, no smoking/stop engine, unlawful...glass containers, hazardous materials, "don't fill tank while dispensing", and emergency shut off sign.		
1	3-1110	UFC AST Decal Package for Regular Unleaded Gasoline. Includes: product ID, flammable, no smoking/stop engine, unlawful...glass containers, hazardous materials, "don't fill tank while dispensing", and emergency shut off sign.		

Exclusions:

Please note: Installation and use of all above-ground fuel storage systems carry inherent risks and are subject to regulations and standards established by Federal, State and Local agencies such as the EPA, Building and Fire authorities etc. By signing this document, customer accepts full responsibility for investigation and implementation of technologies required to meet any applicable regulations and requirements related to the parts and or system(s) in this proposal. Customer also accepts full responsibility for any decision to comply or to not comply with applicable rules and regulations. Furthermore, by signing this document, customer agrees to hold harmless and defend Northwest Pump & Equipment Co. and its affiliates from any liability, penalty or disciplinary action that may occur as a result of decisions by customer, their employees or contractor's to ignore, circumvent or otherwise fail to obey any and all applicable federal, state and local rules and regulations and standards of good, safe, practice. Customer Initials: _____

Merchandise Returns: New Unused Stocking items must be returned within 30 days of the original purchase for full credit. Special ordered items will be charged a minimum 25% restock fee if returned new unused. Cores must be returned within 20 days of the original purchase for full credit.

PCI Compliance Disclaimer: It is solely the Customers responsibility to verify PCI Compliance and Network Processing Compliance with their Merchant Provider. NWP will not be liable for direct, special or consequential damages, business interruption or loss of profits, sustained by Customer or any party claiming by, through or under the Customer.

Above Specifications Exclude the Following (Unless Otherwise Noted): Plans, Permits, Inspection, All Testing, Labor to Assemble or Install, Miscellaneous Pipe Fittings and Accessories, Any Electrical Consideration, Offloading or Setting Any Equipment or Tank, Site Improvements, Guard Barriers, Any Other Items (s) Not Specifically Mentioned Above

Equipment Only: No Installation. Subject to engineer's approval. This quotation does not include or imply any equipment or quantities other than listed herein. Contractor to determine actual quantities required. No retainage to apply.

Performance: Performance of equipment listed is based upon the accuracy of the information supplied to NW Pump and Equipment Co. by the customer or customer's engineer. Guarantee of performance may require approval by a licensed engineer at the customer's expense. NWP is not responsible for any warranty outside of standard manufacturer warranties.

COMPANY:		Mayor - City of Edna Bay, AK	DATE OF QUOTATION	QUOTE NUMBER
PROJECT:		City of Edna Bay	12/05/16	DB-COEB-2
QTY	Part Number	DESCRIPTION		

Tank Submittal Drawings: Tanks require approved, signed drawings before production of the tank may begin. Any quoted lead time is based on production time required once approved submittal drawings have been received by Northwest Pump & Equipment.

Verifone Terms: Special terms apply to the Verifone Equipment. Prices reflect a 3% cash discount. Payments must be received within 10 days of invoice. 3% will be added to invoice and may be deducted if paid within 10 days. Credit card payment not applicable with these terms. Initials _____

Gilbarco / Gasboy Terms: Special terms apply to the Gilbarco/Gasboy Equipment. Prices reflect a 3% cash discount. Payments must be received within 10 days of invoice. Invoices are sent upon completion of the order at the factory. 3% will be added to invoice and may be deducted if paid within 10 days. Credit card payment not applicable with these terms. Initials _____

****60 month lease option** for this project shown above. Actual monthly payment is calculated by Patriot Capital Corporation and is subject to their qualifications to acquire this lease payment structure. Lease is structured with a One Dollar Purchase Option, ownership of the equipment takes place at the end of the lease term. For more information, contact Geoff Smith at 404-915-9749